




# MILLER SWEEP INTEGRATOR

MODEL BA04

This board has been designed with a view to provide practical & experimental knowledge of Miller Sweep integrator.



## SPECIFICATIONS

1. Power supply requirement : 230V AC, 50 Hz.
2. Built in IC based regulated Power supply :-  
+ 15 V DC/200 mA and +9 V DC/200 mA.
3. Following parts provided on Single PCB with connecting terminals. Transistor-BC548/2N3904 - 2 No.
4. Standard Accessories :
  1. User Manual with practical and circuit diagrams.
  2. Connecting patch cords - 5 nos.
5. Experiments:-
  1. To study theory of Miler Sweep Integrator.
  2. To Observe Ramp (Sweep) generated with reference to input signal.

In keeping view of SIGMA policy of continuous development and improvement, the Specifications may be changed without prior notice or obligation.

**Sigma Trainers**  
**E-103, Jai Ambe Nagar,**  
**Near Udgam School, Thaltej,**  
**AHMEDABAD - 380054.**

**Phone : 079-26852427 / 26767512**  
**Fax : 079-26840290 / 26759661**  
**ISDN : 079-26859162 / 26853758**  
**Email : sales@sigmatrainers.com**  
**: sigmatrainers@sify.com**  
**Web : www.sigmatrainers.com**

**Dealer:-**